


PROTECTIVE SUN GEL

SPF 30 (calculated SPF 39)*



	Early more the creation of an internation	
	Ethylhexyl Triazone	3.00%
	Bis-Ethylhexyloxyphenol Methoxyphenyl Triazine	1.50%
	Homomenthyl Salicylate	3.00%
	EMOGREEN™ HP 40	14.00%
E	SEPIMAX TM ZEN SEPINOV TM EMT 10	0.15% 0.90%
C	D.I Water	Up to 100%
C	Methylene Bis-Benzotriazolyl Tetramethylbutylphenol	5.50%
	Phenoxyethanol (and) Ethylhexylglycerin	1.00%
	Phenylpropanol (and) Caprylyl Glycol	0.50%
	Perfume	0.15%
E	Citric acid (20%)	0.09%

Ethylhexyl Methoxycinnamate

7.50%

Yellowish cream / Packaging: Tube

FORMULATION ADVICES: Laboratory scale - 300 g Anchor stirrer & Silverson rotor/stator

Mix phase A and heat to 85°C until it becomes clear. Add phase B into phase A and stir it until uniformity. Heat phase C to 85°C. Add phase C into phase A+B, homogenize it with Silverson at 4000 rpm for 4 min. Cool down and add phase D and stir it with anchor stirrer at 300 rpm for 5 min. Add phase E to adjust pH value to 6.5 and stir it gently.

Thanks to its cream-gel texture, this sun cream combines protection & light skin feel for a bewitching customer experience

EMOGREEN™ HP 40 displays double benefits as it helps to disperse UV filters thanks to 60% of **EMOGREEN™ L19** and delivers great water

forming properties. (C15-19 Alkane and Hydrogenated Polyfarnesene (Plant-based &

EMOGREEN™ HP 40 is a non polar and inherently biodegradable, bio-sourced emollient. It's a sustainable alternative to heavy silicones in formulation. This high purity versatile texturing ingredient brings comfort to the hair and the skin. Multifaceted ingredient, it provides film forming properties with a soft ad supple afterfeel. Its silky protective effect and its versatility will be appreciated in Sun Care applications.

The combination SEPINOV™ EMT 10 and SEPIMAX ZEN™ efficiently

SEPINOV™ EMT 10 thickens and stabilizes formulation even in presence of a high percentage of oily phase. It gives a "satin" touch, glide-on and freshness.

(Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer)

SEPIMAX ZEN[™] is highly compatible with sun filters. It thickens the texture reinforces the formula stability of this formula containing 15% of sun filters.

(Polyacrylate Crosspolymer-6)

ADDITIONAL INGREDIENTS: PHENOXYLETHANOL & ETHYLHEXYLGLYCERIN: EUXYL PE9010 (SCHÜLKE & MAYR) / ETHYLHEXYL METHOXYCINNAMATE: UVINUL® MC 80 (BASF) / ETHYLHEXYL TRIAZONE: UVINUL® T 150 (BASF) / HOMOMENTHY, SALICYLTE: NEO HELIOPAN© HMS (SYMRISE) / BISETHYLHEXYLOXYPHENOL METHOXYPHENYL TRIAZINE: TINOSOBB® S (BASE) / METHYLENE BIS-BENZOTRIAZOLYL TETRAMETHYLBUTYLPHENOL: TINOSOBB® M (BASE) / FRAGRANCE - FRAG272783 (DROM)

More informations available on seppic.com

Reminder: the formula tolerance has not been evaluated. Its sample should not be tested by sensitive public (pregnant women or kids).



*calculated - BASF simulato

All information contained herein is intended merely to demonstrate the utility of Seppic products, and should not be construed as granting license to practice any compositions or methods covered by a patent or a patent application. All information contained in this specific technical documentation is believed to be accurate and has been set up by Seppic according to its own described methods and processes. Seppic however does not assume any liability or risks involved in the use of its products for the preparation and the assessment of the hereinabove formulation of use are beyond its control. Seppic customer must insure that the duplication of the hereinabove formulation is not infringing any intellectual property rights and that it complies with any regulatory status.

