

#ELASTIQUE (US20180)

An elastic face cream that firms the skin and increases its elasticity.

A	Water (Aqua)		70.70%
	DUB DIOL (Methylpropanediol)	Stearinerie Dubois	3.00%
	AQUAXYL™ (Xylitylglucoside, Anhydroxylitol, Xylitol)	Seppic	1.50%
	Benzyl Alcohol, Benzoic Acid, Dehydroacetic Acid, Tocopherol	Schulke	1.00%
B	EMOGREEN™ L19 (C15-19 Alkane)	Seppic	8.00%
	DUB TOGEE (Triheptanoin, Hexyl laurate, Ethylhexyl polyhydroxystearate)	Stearinerie Dubois	12.00%
	JUVENESSENCE™ (Caprylic/Capric Triglyceride, Alaria esculenta extract)	Seppic	1.00%
	Fragrance "Balancing Bamboo"	Sozio	0.30%
C	SEPIMAX ZEN™ (Polyacrylate Crosspolymer-6)	Seppic	0.50%
	SOLAGUM™ AX (Acacia Senegal Gum, Xanthan Gum)	Seppic	1.50%
	SEPINOV™ EMT 10 (Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer)	Seppic	0.50%
D	Sodium Hydroxide, 25% solution		0.14%
E	Blue No. 1, 0.1% w/w	Sensient	0.08%
	Red No. 33, 0.1% w/w	Sensient	0.20%
	Yellow No. 5, 0.1% w/w	Sensient	0.01%

Aspect: White Elastic Gel


pH: 5.44 / **VISCOSITIES: 1M at RT:** 46,790 cps Brookfield LV64V6

Recovery at RT (after 1M at 45°C): 44,191 cps Brookfield LV64V6

STABILITY: Passed 3 month at RT, 45°C, 3 F/T cycles -5°C/+40°C

FORMULATION ADVICES: Laboratory scale - 300g - Defloculator

Combine phase A and mix well. Combine phase B and mix well. Disperse phase C into phase B and mix well. Add phase BC into phase A under high shear dispersing blade. Continue to mix until a smooth emulsion is formed and add phase D and E. Once the batch is done, check and adjust to pH 5 - 5.8.



COLD
PROCESS

HIGHLIGHT:

SEPIMAX ZEN™ & SEPINOV™ EMT 10 create this elastic and enveloping cream gel with a fresh and satin feel on the skin.

SOLAGUM™ AX provides an excellent balance of performance and texture, boosting the viscosity and providing softness.

EMOGREEN™ L19 & DUB TOGEE a combination that offers a unique refreshing & gliding sensation with a soft finish.

JUVENESSENCE™ providing anti-aging properties to the skin by increasing skin firmness and elasticity.

Use on face.



NATURALITY
PROFILE
according to
ISO 16128 norm



FIRMING

INCREASES SKIN ELASTICITY

MOISTURIZING

SEPPIC

All information contained herein is intended merely to demonstrate the utility of Seppic products, and should not be construed as granting license to practice any compositions or methods covered by a patent or a patent application or efficacy or tolerance. All information contained in this specific technical documentation is believed to be accurate and has been set up by Seppic according to its own described methods and processes. Seppic however does not assume any liability or risks involved in the use of its products for the preparation and the assessment of the hereinabove formulation since the condition of use are beyond its control. Seppic customer must insure that the duplication of the hereinabove formulation is not infringing any intellectual property rights and that it complies with any regulatory status. Formula only for demonstration purposes. Seppic has not tested efficacy, toxicology and safety of this formulation if not mention.