

# PEG-FREE #WHIPPEDUP BODY CREAM (US20209)

A soft whipped body cream that moisturizes the skin

<b>A</b>	D.I. Water		56.40%
	Yellow No. 5 solution 1%		
	Glycerin	Sensient	0.30%
	<b>AQUAXYL™</b> (Xylitylglucoside, Anhydroxylitol, Xylitol)	Natural Sourcing LLC	3.00%
	Phenoxyethanol, Ethylhexylglycerin	<b>Seppic</b>	<b>3.00%</b>
<b>B</b>	<b>SEPINOV™ WEO</b> (Hydroxyethyl Acrylate, Sodium Acryloyldimethyl Taurate Copolymer)	Ashland	1.00%
		<b>Seppic</b>	<b>0.60%</b>
<b>C</b>	<b>FLUIDANOV™ 20X</b> (Octyldodecanol, Octyldodecyl Xyloside)	<b>Seppic</b>	<b>1.50%</b>
	<b>DUB ISO G3</b> (Polyglyceryl-3 diisostearate)	<b>Stearinerie Dubois</b>	<b>3.00%</b>
	Hydrogenated Olive Oil Stearyl Esters	Sophim	17.00%
	<b>DUB CIRE H1</b> (C10-18 Triglycerides)	<b>Stearinerie Dubois</b>	<b>5.00%</b>
	<b>EMOGREEN™ L19</b> (C15-19 Alkane)	<b>Seppic</b>	<b>6.00%</b>
<b>D</b>	Amylopectin		3.00%
	Lime Oil	Sozio	0.20%

**Aspect :** Light Yellow Whipped Cream

**pH:** N/A/

**VISCOSITIES: 1M at RT:** 9,100,000 cps Brookfield LVT 96 @ 0.6 rpm

**Recovery at RT (after 1M at 45°C):** 9,700,000 cps Brookfield LVT 96 @ 0.6 rpm

**STABILITY:** Passed 3 month at RT & 45°C, 3 F/T cycles -5°C/+40°C

#### FORMULATION ADVICES: Laboratory scale - 300g

Combine phase A and mix well and then add phase B and mix until a nice uniform gel is formed. Heat phase AB to 75°C. Combine phase C and heat to 75°C while gently agitated. Stop all mixing and pour phase C on top of phase AB. Start mixing using sweeper blade at 100 - 135 rpm for 10 minutes while maintaining temperature at 75°C and then homogenize the batch for 4 minutes at 4,000 rpm. After homogenization, cool down with sweeper to 50°C and add phase D. Continue to mix to ambient temperature.

All information contained herein is intended merely to demonstrate the utility of Seppic products, and should not be construed as granting license to practice any compositions or methods covered by a patent or a patent application or efficacy or tolerance. All information contained in this specific technical documentation is believed to be accurate and has been set up by Seppic according to its own described methods and processes. Seppic however does not assume any liability or risks involved in the use of its products for the preparation and the assessment of the hereinabove formulation since the condition of use are beyond its control. Seppic customer must insure that the duplication of the hereinabove formulation is not infringing any intellectual property rights and that it complies with any regulatory status. Formula only for demonstration purposes. Seppic has not tested efficacy, toxicology and safety of this formulation if not mention.

**SEPPIC**

## HIGHLIGHT:

**SEPINOV™ WEO** with **FLUIDANOV™ 20X** & **DUB ISO G3** allow to obtain a unique surprising texture.

**DUB CIRE H1** brings a unique sensory melting sensation with pleasant comforting skin feel, while **EMOGREEN L19™** provides a fresh and gliding effect during application.

**AQUAXYL™** moisturizes and restructures the skin for a short-term and long-term hydration.

*Gently apply onto skin for a deep hydrating experience.*



NATURALITY  
PROFILE  
according to  
ISO 16128 norm



**WHIPPED TEXTURE**

**DEEPLY MOISTURIZING**

**SILKY & VELVETY FEEL**