SUMMER GLOW REVIVAL SERUM (US20213)

A daily summer dew dose full of moisture.

A	Water (Aqua)		70.74%
	Glycerin		3.00%
	AQUAXYL [™] (Xylitylglucoside, Anhydroxylitol, Xylitol)	Seppic	1.50%
	Phenylpropanol, Propanediol, Caprylyl Glycol, Tocopherol	Ashland	1.00%
	Dihydroxyacetone	EMD	8.00%
В	Sol. 30% Citric acid		0.06%
С	SOLAGUM™ AX (Acacia Senegal Gum, Xanthan Gum)	Seppic	0.50%
D	DUB ESTOLINE (Ethylhexyl polyhydroxystearate)	Stearinerie Dubois	2.00%
	DUB OE HP (Ethyl oleate)	Stearinerie Dubois	5.00%
	DUB 810 C (Coco-caprylate/caprate)	Stearinerie Dubois	6.00%
	Fragrance	Sozio	0.40%
E	SEPINOV™ EMT 10 (Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer)	Seppic	1.80%

Aspect: White Cream Gel pH: 3.7 / VISCOSITES: IM at RT: 245,000 cps Brookfield LVT 64 @ 1.5 rpm Recovery at RT (after 1M at 45°C): 172,000 cps Brookfield LVT 64 @ 1.5 rpm STABILITY: Passed 3 month at RT & 45°C, 3 F/T cycles @-5°C/+40°C

FORMULATION ADVICES: Laboratory scale - 300g batch - Deflocculator

Combine phase A and mix well. Add phase B to phase A and mix well. Add phase C to phase AB and mix until Solagum AX is completely swelled using deflocculator. Combine phase D and disperse phase E into phase D. Add phase DE to phase ABC and mix until a uniform emulsion is formed. Check and adjust to pH 3.5 - 4.8.



Seppic

All information contained herein is intended merely to demonstrate the utility of Seppic products, and should not be construed as granting license to practice any compositions or methods covered by a patent or a patent application or efficacy or tolerance. All information contained in this specific technical documentation is believed to be accurate and has been set up by Seppic according to its own described methods and processes. Seppic however does not assume any liability or risks involved in the use of its products for the preparation and the assessment of the hereinabove formulation since the condition of use are beyond its control. Seppic customer must insure that the duplication of the hereinabove formulation is not infringing any intellectual property rights and that it compiles with any regulatory status. Formula only for demonstration purposes. Seppic has not tested efficacy, toxicology and safety of this formulation.

HIGHLIGHT:

SEPINOV™ EMT 10 & SOLAGUM™ AX thicken and stabilize this cream gel with 8% of DHA.

DUB OE HP & **DUB 810 C** is a duo of emollients offering a high and homogeneous spreadability during application.

DUB ESTOLINE provides a non-sticky, cushioning effect while protecting against skin dehydration and pollution.

AQUAXYL[™] helps to retain water in every epidermis layers; it also enhances the moisturizing action of glycerin.

Use on body.



HIGH SPREADABILITY CUSHIONY SKIN FEEL MOISTURIZATION